



**Jilong®**

Pump Up Possibilities

**SHANGHAI JILONG PLASTIC PRODUCTS CO.,LTD.**

No.460 Ianxue Road, Huanglou,  
Pudong Area, Shanghai,201205,P.R.China

Tel: +86-21- 58942200

Fax: +86-21-58940305/58940434

E-mail: info@jilong.com

Web: www.jilong.com



**Visit Our Website**  
Scan this QR code with  
your smartphone to get  
more information from  
our website.

[www.jilong.com](http://www.jilong.com)

© 2014 Shanghai Jilong Plastic Products Co., Ltd. ALL rights reserved. Printed in China.



# Watercarft 2015



**Jilong®**

Pump Up Possibilities

# Company Mission

During the past 20 Years more than..

**1,000,000** Jilong Watercrafts

**10,000,000** Jilong Pools

**100,000,000** Jilong Air Beds

and **1,000,000,000** items of Jilong Fun Gear

... have been brought to gardens, houses, swimming pools, beaches, lakes and rivers in more than 50 countries around the globe, helping people to relax, to have fun – to simply have a Great Time!

## Jilong – Pump up Possibilities.



# Company Profile

Shanghai Jilong Plastic Products Co., Ltd. is an export orientated manufacturer of plastic leisure products with a considerable experience in R&D, high quality manufacturing and world-wide sales. Every year JILONG products reach customers in more than 50 countries in Europe, North America, Australia and Asia.

JILONG factory is equipped with its own R&D centre, where a highly professional team collaborates with foreign designers to develop new products and packages. Various technical parameters of each new product have been tested and verified by internal professional lab, such as ITS, TUV and SGS.

JILONG offers excellent quality, competitive price, OEM manufacturing, low minimum order quantities, timely delivery, product warranty and after sales service in Europe and North America. Join us in our effort to make life more fun!



## PRODUCTION CAPACITY



Warehouse



Calender Machine for PVC Sheet Production




Flock Workshop




6 - Color Roller Printing Machine

# Material and Technology


Our construction materials and technology that make our paddle boards, boats and kayaks durable and safe to use.




More economical: A single layer of heavy duty PVC is used to form a strong body for boats.




Safer: A 3-layer laminated material of a polyester mesh with a heavy gauge PVC at each side is used to form a strong and super durable wall for boats.



Anti-corrosion: First-grade marine plywood with PU coating offers extreme protection against sunlight, salt water, chemical, and fungal attack, much better than a standard plywood.



Anti-leakage: High frequency welding that creates an unbreakable and extra-tight seam for all inflatable boards, boats and kayaks.



More Solid: A multi-layer material using the "drop stitch" method of construction allows for much higher pressure inflation than a standard PVC material. Higher pressure inflation provides a more rigid floor that can enhance the performance of paddle boards and boats.



V-Shape inflatable keel makes controlling the boat easier and allows for faster speeds.

# Quality Assurance

## Test 1:



Each board have been past strictly 48h tightness test before packing

First step:  
semi-24h leak detection



Second step:  
finished-24h leak detection



## Test 2:



Material has past three years of weathering test

## Test 3:



Each batch of material has past physical performance verification test


# Double-Blades Paddle

New Product



JL29R136N  
228cm (89.7")

- Reinforced enlarger blade
- PE bag
- Aluminum Tube
- 64.5cm\*40cm\*37cm / 10set



# Marketing & Sales

Supporting our global partners is a key priority to Jilong. Based on more than 20 years of experience in the inflatables industry, We are constantly advancing our packaging, point-of-sales systems, product manuals and other marketing and sales tools to draw in consumers from around the world, regardless of whether they are standing in a department store, a DIY shop, a sports equipment store, or just their favorite mom-and-pop shop by the beach.



Display



Brochure & Poster



Advertisement



Exhibition



Video/Youtube

To learn more, please contact our local distributors directly.  
Contact information can be found on our website: [www.Jilong.com](http://www.Jilong.com).



After Sales Service



# Additional Product Series

## Jilong Stand Up Paddle Board Series



The Jilong folding “SUP” product line offer a wide range of inflatable Boards to all ages skill levels for fun, exercising, friendly racing.

## Jilong Pool Series



The Jilong ‘Pool’ product line offers an extensive range of both stand-alone pools, as well complete pool systems that meet everyone’s needs and turn the summer into a great time for families and friends.

## Jilong Air Bed Series




The Jilong ‘Air Bed’ product line offers a variety of comfortable, robust and easy-to-use inflatable beds, mattresses and resting chairs, created for indoor use to make guests feel at home, as well as outdoor use to enjoy on camping trips or picnics.

## Jilong Z-RAY boat Series



The Jilong ‘Watercraft’ product line offers professional-grade inflatable boats, paddle boards and related accessories designed for water sports and recreational activities such as fishing, kayaking, canoeing and racing.

## Jilong Fun Gear Series



The Jilong ‘Fun Gear’ product line offers a wide range of inflatable toys kids love to play with, whether at the beach, the pool or anywhere by the water.

## Avenli SPA Series



The Avenli product line offer a wide range of folding SPA and accessories to bring an new wellness experience to consumers to enhance the well-being of both body and soul.

# Table of Content



## Sup Series

- PATHFINDER SUP (P10-11)
- WALLAMAN SUP (P12-13)



## Kayak Series

- PVC Kayak K-I 320 (P14-15)
- PVC Cande C-I 330 (P16-17)
- L-PVC kayak Pathfinder II (P18-19)
- L-PVC kayak Pathfinder (P20-21)



## Boat Series

- PVC Fishing Boat (P22-23)
- L-PVC Fishing Boat (P24-25)
- Full-Cover Fishing Boat (P26-27)



## Boat Series

- L-PVC Boat (P28-29)



## Boat Series

- Slatted Wooden Floor Boat (P30-31)
- Aluminum Wooden Floor Boat (P32-33)
- Air Deck Boat (P34-35)
- Inflatable Floor Boat (P36-37)

## Boat Accessories

- Boat Accessories (P38-41)



# PATHFINDER SUP



=220Lbs/100Kgs  
 =1 Adult  
Air chamber: 1  
Fin: 2+1



Heavy Duty  
PVC



Heavy  
Laminated  
PVC



Double  
Wall Fabric



**Package :**  
Carton + Color stickers  
**Package includes:**  
1pc SUP + 1pc Carry bag  
+ 1pc Valve wrench + 1pc Large fin

### Optional:



Paddle  
(JL29R135N)



Pump  
(JL29P407N)



Seat



Footrest

### Specification:

| Type     | Inflated Size                   | Pump | Paddle | Seat | Footrest | Carry Bag | NW<br>(Lbs/Kgs) | GW<br>(Lbs/Kgs) | Case Pack<br>(cbm/pkg) | Model No.          | Item No.         |
|----------|---------------------------------|------|--------|------|----------|-----------|-----------------|-----------------|------------------------|--------------------|------------------|
| Extreme  | 301cm×76cm×10cm<br>(10'×30"×4") | ✓    | ✓      | ✓    | ✓        | ✓         | 32.4/14.7       | 35.1/15.9       | 0.093                  | PATHFINDER S-I 300 | <b>JL027264N</b> |
| Advanced | 301cm×76cm×10cm<br>(10'×30"×4") | ✓    | ✓      | /    | /        | ✓         | 30.6/13.9       | 33.3/15.1       | 0.093                  | PATHFINDER S-I 300 | <b>JL027265N</b> |
| Standard | 301cm×76cm×10cm<br>(10'×30"×4") | /    | /      | /    | /        | ✓         | 26.4/12         | 28.7/13         | 0.07                   | PATHFINDER S-I 300 | <b>JL027267N</b> |

For best performance of the SUP, JILONG recommends you choose the Set with Seat + Footrest



WALLAMAN SUP



**Package :**  
Carton + Color stickers  
**Package includes:**  
1pc SUP + 1pc Carry bag  
+ 1pc Valve wrench + 1pc Large fin

Specification:

| Type     | Inflated Size                | Pump | Paddle | Seat | Footrest | Carry Bag | NW (Lbs/Kgs) | GW (Lbs/Kgs) | Case Pack (cbm/pkg) | Model No.        | Item No.  |
|----------|------------------------------|------|--------|------|----------|-----------|--------------|--------------|---------------------|------------------|-----------|
| Standard | 330cm×76cm×10cm (11'×30"×4") | /    | /      | /    | /        | ✓         | 27.6/12.5    | 29.6/13.5    | 0.07                | Wallaman S-I330A | JL027333N |
| Standard | 365cm×76cm×15cm (12'×30"×6") | /    | /      | /    | /        | ✓         | 31.0/14.1    | 33.3/15.1    | 0.08                | Wallaman S-I365B | JL027290N |

JL027333N

+ =242Lbs/110Kgs

=1 Adult

Air chamber: 1

Fin: 2+1

JL027290N

+ =286Lbs/130Kgs

=1 Adult

Air chamber: 1

Fin: 2+1



Heavy Duty PVC



Heavy Laminated PVC



Double Wall Fabric

New Product

# PATHFINDER K-I

PATHFINDER K-I 320 is a cost-effective excellence Kayak of “z-ray” releasing in 2013. With smart hull, Kayaker can handle the direction and fairways easily and make paddling like free wind. Blue and white two excellent colors are quite fashionable and sporting. Unique upper and lower main chamber structure and imported high-strength PVC manufacturing will give our kayak a higher security.



### Main Features:

- 1. The kayak hull is flexible, fashionable, modern and sporty.
- 2. Features two main inflatable chambers on the hull and I-beam floor for extra security and comfort.
- 3. Quick inflation and deflation screw valve.
- 4. Made of imported heavy duty PVC.



Screw Valves



+ =352Lbs/160Kgs

=2 Adults

Air chamber: 5



Heavy Duty PVC

### Package :

Color box+ shrink film

### Package includes:

1pc kayak + 2pc seats + 2pc paddles + 1pc pump + 1pc manual



JL29P389N  
Air Volume:2000cc  
Pressure:2.5PSI  
(18kPa)



JL29R107N  
87"(221cm)

### Specification:

| Inflated                              | Material Ga.(mm) | Air Chamber | Capacity (person) | Max.load Weight (lbs/kgs) | Pump      | Oars/Unit      | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Model No.                            | Item No.  |
|---------------------------------------|------------------|-------------|-------------------|---------------------------|-----------|----------------|--------------|---------------------|--------------------------------------|-----------|
| 128" x32" x21"<br>(325cm x 81cmx53cm) | 18(0.45)         | 5           | 2 Adults          | 352/160                   | JL29P389N | JL29R107N/2pcs | 23.06/10.46  | 0.04/1              | PATHFINDER K-I 320<br>2 PERSON KAYAK | JL007231N |

# PATHFINDER C-I

PATHFINDER C-I 330 is the first ‘Z-ray grand canoe.’ Its wild and retro Indian-style design offers a full adventure experience of the surface of the water. This canoe has unique paddle fixtures and a super size storage bag and its double main chamber structure and imported high-strength PVC manufacturing give it improved safety. If being used with Canoe paddles, it will create more interesting paddling on water!




- Main Features:**
- 1. Wild and retro Indian style.
  - 2. Unique paddle fixture and a super-big storage bag.
  - 3. Features two main inflatable chambers on the hull and I-beam floor for extra security and comfort.
  - 4. Quick inflation and deflation screw valve.
  - 5. Made of heavy duty PVC.



👤 + 🧳 = 364Lbs/165Kgs  
👤 = 2 Adults  
Air chamber: 3



**Package :**  
Color box+ shrink film  
**Package includes:**  
1pc Canoe + 2pc seats + 1pc pump + 1pc bag + 1pc manual +1pc paddle



## Specification:

| Inflated                               | Material Ga.(mm) | Air Chamber | Capacity (person) | Max.load Weight (lbs/kgs) | Pump      | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Model No.                            | Item No.         |
|----------------------------------------|------------------|-------------|-------------------|---------------------------|-----------|---------------|--------------|---------------------|--------------------------------------|------------------|
| 130" x32" x21"<br>(330cm x 81cm x53cm) | 22(0.55)         | 3           | 2 Adults          | 364/165                   | JL29P389N | JL29R136N/1pc | 27.5/12.5    | 0.057/1             | PATHFINDER C-I 330<br>2 PERSON CANOE | <b>JL007233N</b> |

# PATHFINDER II KAYAK

Pathfinder is a basic single/double sport or/and recreational kayak, perfect if you want a canoe easy to inflate/deflate,lightweight to carry and transport whenever you go on your weekend trips. It is made of a strong two-layer PVC which resists accidental cuts or abrasions and is easy to repair in the unlikely event of puncture. We added 2 fins to its bottom to increase kayak's stability and control.




- Main Features:**
- 1. 3 Air chamber: 2 x hull, 1 x floor.
  - 2. I-beam inflatable floor.
  - 3. High pressure valve for quick inflation and deflation.
  - 4. Removable heavy duty fabric seat.
  - 5. Heavy duty paddle included.




## Specification:

| Inflated                      | Material Ga.(mm) | Air Chamber | Capacity (person) | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit        | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Model No.              | Item No.         |
|-------------------------------|------------------|-------------|-------------------|---------------------------|--------------|------------------|--------------|---------------------|------------------------|------------------|
| 277x77x34cm ( 109"x30"x13.5") | 24(0.60)         | 3           | 1 Adult           | 231/105                   | JL29P389NV01 | JL29R118N/1pc    | 24.5/11      | 0.0534/1            | PATHFINDER II 1 PERSON | <b>JL007204N</b> |
| 376x77x34cm (148"x30"x13.5")  | 24(0.60)         | 3           | 2 Adults          | 374/170                   | JL29P389NV01 | JL29R118N / 2 pc | 36/16.4      | 0.081/1             | PATHFINDER II 2 PERSON | <b>JL007205N</b> |



**Package :**  
Color box+ shrink film  
**Package includes:**  
Kayak + Seat + Foot pump + 1 pc Paddle+ carry bag



# PATHFINDER KAYAK

Pathfinder is a basic single/double sport or/and recreational kayak, perfect if you want a canoe easy to inflate/deflate,lightweight to carry and transport whenever you go on your weekend trips. It is made of a strong two-layer PVC which resists accidental cuts or abrasions and is easy to repair in the unlikely event of puncture. We added 2 fins to its bottom to increase kayak's stability and control.



JL000262N


JL000262-1N

- Main Features:**
- 1. 3 air chambers: 2 x hull, 1 x floor.
  - 2. I-beam inflatable floor with drain plugs.
  - 3. High pressure valves for quick inflatable and deflation.
  - 4. Removable fabric seat with storage pouch.
  - 5. Adjustable foot rest.
  - 6. Pressure gauge - optional.



## Specification:

| Inflated             | Material Ga.(mm) | Air Chamber | Capacity (person) | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit      | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Model No.                 | Item No.    |
|----------------------|------------------|-------------|-------------------|---------------------------|--------------|----------------|--------------|---------------------|---------------------------|-------------|
| 300x90cm ( 118"x36") | 28(0.7)          | 3           | 1 Adult           | 231/105                   | JL29P389NV01 | JL29R118N/1pc  | 29.5/13      | 0.072/1             | PATHFINDER 1 Person Kayak | JL000262N   |
| 400x90cm ( 158"x36") | 28(0.7)          | 3           | 2 Adults          | 374/170                   | JL29P389NV01 | JL29R118N /2pc | 40/18        | 0.090/1             | PATHFINDER 2 Person Kayak | JL000262-1N |



**Package :**  
Color box+ shrink film  
**Package includes:**  
Kayak +Seat + Foot pump+ Paddle + 2 knee braces + carry bag



FISHMAN


If you are looking for a comfortable, light and inexpensive inflatable boat to use at your cottage for fishing, sun seeking and exploring the area, Fishman is an ideal choice for you. Fishman is available in 5 sizes, so it would suit both single boat enthusiasts and families. It is easy to inflate and deflate – your boat will be ready to go within 10 minutes. Compact and lightweight it is simple to store and transport in the trunk of your car. An outboard motor bracket is optional if you want to add a motor to increase the versatility of the boat.



- Main Features:**
- 1. 2 main chambers on hull for extra security
  - 2. Quick inflation & deflation screw valve
  - 3. All around grab rope
  - 4. Inflatable floor for comfort and rigidity
  - 5. Durable oar locks and oars holders
  - 6. Fishing rod holders
  - 7. 2 seat cushions (300/350/400 models)
  - 8. Additional gear pouch for storage
  - 9. Can be configured with electric motor(300/350/400 models)
  - 10. Camouflage cover is optional (300/350/400 models)



# JL340721N # JL340722N  
# JL340722N  
Camouflage boat cover is optional



Heavy Duty  
PVC

**Package :**  
Color box




JL29P386N  
Two-Way Pump  
2x700cc  
Pressure:3.5PSI  
(24kPa)



JL29P390N  
Two-Way Pump  
2x1200cc  
Pressure:4PSI  
(28kPa)



JL29R105-1N  
49"(124cm)Aluminum  
Oars



JL29R109-2N  
49"(124cm)Plastic  
Oars



JL29R127N  
Motor Fitting is  
Optional

Specification:

| Inflated                     | Material Ga.(mm) | Max.Power (kw/hp) | Capacity | Max.load Weight (lbs/kgs) | Pump      | Oars/Unit       | Boat Cover | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Cushion Seat | Model No.       | Item No.           |
|------------------------------|------------------|-------------------|----------|---------------------------|-----------|-----------------|------------|--------------|---------------------|--------------|-----------------|--------------------|
| 185x98x28cm ( 73"x39"x11")   | 16(0.40)         | /                 | 1+0      | 264/120                   | /         | /               | /          | 8/3.6        | 0.075/3             | /            | FISHMAN 100     | <b>JL007206N</b>   |
| 218x110x36cm ( 86"x43"x14")  | 18(0.45)         | /                 | 1+1      | 418/190                   | /         | /               | /          | 10.3/4.7     | 0.066/2             | /            | FISHMAN 200     | <b>JL007207N</b>   |
| 218x110x36cm ( 86"x43"x14")  | 18(0.45)         | /                 | 1+1      | 418/190                   | JL29P386N | JL29R109-2N/1pr | /          | 12.7/5.8     | 0.078/2             | /            | FISHMAN 200 SET | <b>JL007207-1N</b> |
| 252x125x40cm ( 99"x49"x16")  | 20(0.50)         | 0.75/1            | 2+1      | 583/265                   | /         | /               | optional   | 17.8/8.1     | 0.046/1             | 2            | FISHMAN 300     | <b>JL007208N</b>   |
| 252x125x40cm ( 99"x49"x16")  | 20(0.50)         | 0.75/1            | 2+1      | 583/265                   | JL29P386N | JL29R109-2N/1pr | optional   | 21/9.6       | 0.049/1             | 2            | FISHMAN 300 SET | <b>JL007208-1N</b> |
| 305x136x42cm ( 120"x54"x17") | 22(0.55)         | 0.75/1            | 3+1      | 749/340                   | /         | /               | optional   | 24/10.9      | 0.056/1             | 2            | FISHMAN 350     | <b>JL007209N</b>   |
| 305x136x42cm ( 120"x54"x17") | 22(0.55)         | 0.75/1            | 3+1      | 749/340                   | JL29P390N | JL29R105-1N/1pr | optional   | 26/11.9      | 0.073/1             | 2            | FISHMAN 350 SET | <b>JL007209-1N</b> |
| 340x142x48cm ( 134"x56"x19") | 24(0.60)         | 0.75/1            | 4+0      | 837/380                   | /         | /               | optional   | 29.4/13.3    | 0.063/1             | 2            | FISHMAN 400     | <b>JL007210N</b>   |
| 340x142x48cm ( 134"x56"x19") | 24(0.60)         | 0.75/1            | 4+0      | 837/380                   | JL29P390N | JL29R105-1N/1pr | optional   | 31.5/14.3    | 0.081/1             | 2            | FISHMAN 400 SET | <b>JL007210-1N</b> |

# FISHMAN II

Fishman II series boat is a good choice for fishers and weekend-at-the-cottage lovers. It is simple and perfect for lazy boating in lakes and rivers and sun tanning, while your fishing rods are safely secured in their holders on the sides of the boat. Robust 3-ply PVC material resists cuts and abrasions, reinforced rubber strakes on the sides protect the boat from bumps and knocks. We included 3 PVC cushion seats for your comfort and a gear pouch where you can safely store whatever is needed for your fishing afternoon. It is available in 2 sizes, is easy to dis/assemble and lightweight to carry. An outboard motor bracket is optional if you want to add a motor to increase the versatility of the boat.



# JL340720-1N  
Sunshade is Optional

### Main Features:

- 1. 3 Air Chambers: 2 x hull, 1 x floor.
- 2. I-beam inflatable floor.
- 3. High pressure valves for quick inflation and deflation.
- 4. 2 Fishing rod holders.
- 5. All around protective strake.
- 6. Pressure Gauge - optional.
- 7. Outboard Motor Bracket - optional.
- 8. Metal frame sunshade - optional.



Heavy Duty  
PVC



Heavy  
Laminated  
PVC



Double  
Wall Fabric

### Package :

Color box+ shrink film

### Package includes:

boat + seat + gear pouch + 1 pair of oars + two way pump + carry bag

### Included in the box:



Carry Bag



JL29P387NV01  
Two-Way Pump  
2x1500cc



JL29R106N  
54"(137cm)Aluminum  
Oars



JL29P135N  
Pressure Gauge-  
Optional



JL29R115N  
Motor Fitting is  
Optional

## Specification:

| Inflated Exterior             | Inflated Interior   | Material Ga.(mm) | Max.Power (kw/hp) | Air Chamber | Capacity | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Cushion seat | Model No.      | Item No.         |
|-------------------------------|---------------------|------------------|-------------------|-------------|----------|---------------------------|--------------|---------------|--------------|---------------------|--------------|----------------|------------------|
| 240x128x43cm (94"x50.5"x17")  | 174x59cm (69"x23")  | 24(0.60)         | 1.8/2.5           | 3           | 2+0      | 485/220                   | LJ29P387NV01 | JL29R106N/1pr | 31/14.2      | 0.081/1             | 2            | FISHMAN II 200 | <b>JL007238N</b> |
| 295x128x43cm (116"x50.5"x17") | 226x59cm (89"x23")  | 24(0.60)         | 1.8/2.5           | 3           | 3+1      | 705/320                   | JL29P387NV01 | JL29R106N/1pr | 33.5/15.2    | 0.09/1              | 2            | FISHMAN II 400 | <b>JL007211N</b> |
| 328x144x46cm (129"x57"x18")   | 255x69cm (100"x27") | 24(0.60)         | 2.9/4.0           | 3           | 4+1      | 948/430                   | JL29P387NV01 | JL29R106N/1pr | 40/18        | 0.1/1               | 3            | FISHMAN II 500 | <b>JL007212N</b> |



# FISHMAN A-III

FISHMAN A-III 250 is the grand launch of the first, full-coat enhanced ‘Z-ray’ fishing boat. The design is fashionable and full of sporty elements and its lightweight hull is easily folded up, meaning it can be put into the trunk or fixed on the roof of your car. This fishing boat is configured with a high density polyester jacket which provides you a better ride as well as security protection to the hull. This fishing boat applies to lake fishing, transportation and recreation and if you attach the electric motor, it will surprise you with an additional driving experience!



- Main Features:**
- 1. Small and foldable hull that can be easily put in the trunk or top of a car.
  - 2. Fishing seat, storage bag and motor hook, making fishing, leisure and transportation on lakes convenient.
  - 3. Highly dense terylene cover that can protect the hull better.
  - 4. With a bottom paved by PE boards, it is more reliable and comfortable.
  - 5. Quick inflation and deflation screw valve.
  - 6. Durable oar locks and oar holders.



## Specification:

| Inflated                              | Material Ga.(mm) | Capacity (person) | Max.load Weight (lbs/kgs) | Pump      | Oars/Unit     | Electric Motor | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Model No.                      | Item No.    |
|---------------------------------------|------------------|-------------------|---------------------------|-----------|---------------|----------------|--------------|---------------------|--------------------------------|-------------|
| 97" x53.5" x16" (246cm x 137cm x41cm) | 22(0.55)         | 2 Adults          | 551/250                   | JL29P387N | JL29R106N/1pr | /              | 44/20        | 0.144/1             | FISHMAN A-III 251 FISHING BOAT | JL007235N   |
| 97" x53.5" x16" (246cm x 137cm x41cm) | 22(0.55)         | 2 Adults          | 551/250                   | JL29P387N | JL29R106N/1pr | JL290561N      | 677/30.7     | 0.256/1             | FISHMAN A-III 251 FISHING BOAT | JL007235-1N |
| 97" x53.5" x16" (246cm x 137cm x41cm) | 22(0.55)         | 2 Adults          | 551/250                   | JL29P387N | JL29R106N/1pr | JL290591N      | 58.8/26.7    | 0.205/1             | FISHMAN A-III 251 FISHING BOAT | JL007235-2N |



Heavy Duty PVC

**Package :**  
(white box + color stickers) + shrink film  
**Package includes:**  
1pc PVC boat + 1pc boat cover + 2pc seats + 1set PE floor + 1pc pump + 1 pair paddle + 1pc carry bag + 1 pc electric motor(optional) + 1pc manual

### Included in the box:



JL29R115N  
Motor Fitting is Optional



JL29P387N  
Two-Way Pump  
2x1500cc



JL29R106N  
54"(137cm)Aluminum Oars



JL290561N/  
JL290591N  
(30Lbs)/(18Lbs)



JL29R115N  
Motor Fitting is Optional



# CHEYENNE III

If you need an inexpensive basic boat to use as a yacht tender or take it with you while going camping by the lake and pleasure cruising, Cheyenne III series boat is an ideal choice for you. Its composite impervious material resists accidental cuts and abrasions, reinforced rubber strakes on the sides protect the boat from bumps and knocks, and an V-shape inflatable bottom adds to the boat's stability. It comes in 3 sizes to suit both single water lovers and boating families. An outboard motor bracket is optional if you want to add a motor to increase the versatility of the boat.



- Main Features:**
- 1. 3 Air Chambers: 2 x hull, 1 x floor.
  - 2. I-beam inflatable floor.
  - 3. High pressure valves for quick inflation and deflation.
  - 4. All around protective strake.
  - 5. Inflatable keel provides added stability and directional control.
  - 6. Pressure Gauge – optional.
  - 7. Outboard Motor Bracket – optional.
  - 8. Metal frame sunshade – optional.



## Specification:

| Inflated Exterior           | Inflated Interior  | Material Ga.(mm) | Max.Power (kw/hp) | Air Chamber | Capacity | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Cushion seat | Model No.    | Item No.         |
|-----------------------------|--------------------|------------------|-------------------|-------------|----------|---------------------------|--------------|---------------|--------------|---------------------|--------------|--------------|------------------|
| 234x120x35cm (92"x47"x14")  | 171x49cm (67"x19") | 28(0.7)          | 1.8/2.5           | 3           | 2+0      | 485/220                   | JL29P387NV01 | JL29R106N/1pr | 36/16.3      | 0.082/1             | 2            | CHEYENNE 200 | <b>JL007111N</b> |
| 262x127x35cm (103"x50"x14") | 196x57cm (77"x22") | 28(0.7)          | 1.8/2.5           | 3           | 2+1      | 550/250                   | JL29P387NV01 | JL29R106N/1pr | 40/18        | 0.099/1             | 2            | CHEYENNE 300 | <b>JL007112N</b> |
| 284x132x38cm (112"x52"x15") | 216x56cm (85"x22") | 28(0.7)          | 1.8/2.5           | 3           | 3+1      | 616/280                   | JL29P387NV01 | JL29R106N/1pr | 43/19.5      | 0.105/1             | 2            | CHEYENNE 400 | <b>JL007108N</b> |



Heavy Duty PVC



Heavy Laminated PVC



Unbreakable Welding

**Package :**  
(white box + color stickers) + shrink film  
**Package includes:**  
boat + cushion seat + oars + two-way hand pump + carry bag

### Included in the box:



Carry Bag



JL29P387NV01 Two-Way Pump 2x1500cc



JL29R115N Motor Fitting is Optional



JL29R106N 54"(137cm)Aluminum Oars



JL137003N Cushion Seat



JL29P135N Pressure Gauge-Optional




# Z-Ray 1

So, you dislike those soft boat floors, inflatable cushion seats and love motor boating? How about choosing a Z-Ray I series boat for your water adventures. Detachable slatted wooden floorboards and wooden bench seats allow you to cruise with more comfort. Its robust material resists accidental cuts and abrasions, while reinforced rubber strakes on the sides protect the boat from bumps and knocks. Moreover, we added a solid Marine Ply outboard motor transom and stainless steel towing system beneath the tube. Amazingly quick to unroll and inflate –it is ready in minutes. Available in 2 sizes.



- Main Features:**
- 1. 3 Air Chambers:3xhull.
  - 2. Reinforced Protective Strake.
  - 3. Marine Ply motor transom.
  - 4. Operable Drain valve.
  - 5. Plywood slatted floorboards.
  - 6. All around protective strake.
  - 7.Built-in Oarlock system for easy rowing.
  - 8 Seat Cushion and Storage Compartment - optional.



## Specification:

| Inflated Exterior           | Inflated Interior    | Material Ga.(mm) | Max.Power (kw/hp) | Air Chamber | Capacity | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Seat Cushion and Storage-optional | Model No.   | Item No.    |
|-----------------------------|----------------------|------------------|-------------------|-------------|----------|---------------------------|--------------|---------------|--------------|---------------------|-----------------------------------|-------------|-------------|
| 235x130x33cm (93"x51"x13")  | 150x60cm (59"x23.5") | 32(0.80)         | 2.9/4             | 3           | 2+0      | 485/220                   | JL29P387NV01 | JL29R101N/1pr | 62/28        | 0.152/1             | JL340679N                         | Z-ray 1 200 | JL007012N   |
| 270x152x42cm (106"x60"x17") | 170x65cm (67"x25.5") | 28(0.7)          | 3.7/5             | 3           | 3+0      | 880/400                   | JL29P387NV01 | JL29R102N/1pr | 86/39        | 0.172/1             | JL340678N                         | Z-ray1 300  | JL007012-1N |

Heavy Duty PVC

Heavy Laminated PVC

Unbreakable Welding

Marine Plywood

**Package :**  
(white box + color stickers) + shrink film  
**Package includes:**  
boat +Two-way pump +  
1 pair of oars + Pressure gauge+ carry bag

**Included in the box:**

JL29R102N  
65"(165cm)Aluminum Oars

JL29R101N  
52"(132cm)Aluminum Oars

JL29P135N  
Pressure Gauge

Carry Bag

JL29P387NV01  
Two-Way Pump  
2x1500cc

JL340679N for Z-ray 1 200  
JL340678N for Z-ray1 300  
Seat Cushion and Storage Compartment - Optional



# Z-Ray 2

Z-Ray Aluminum Floorboard Boats offer an outstanding performance for exploring and cruising along the coast and watching the sunset. It has a strong, durable aluminum floorboard that adds extra stability, and a spacious storage compartment to store food and necessities for a half day trip. Suitable for users that require comfort and durability, but do not need to inflate or deflate the boat daily.



- Main Features:**
- 1. 4 Air chambers: 3 x hull, 1x keel.
  - 2. V-shape inflatable keel.
  - 3. Marine Ply motor transom.
  - 4. Operable Drain valve.
  - 5. Aluminum floorboards.
  - 6. All around protective strake.
  - 7. Built-in Oarlock system for easy rowing

Drain Valve

Swivel Oar Lock

High Pressure Valve

Heavy Duty PVC

Heavy Laminated PVC

Unbreakable Welding

Marine Plywood

**Package :**  
(white box + color stickers) + shrink film

**Package includes:**  
boat+Two-way pump+ 1 pair of oars, Seat Cushion and Storage Compartment.

**Included in the box:**

JL29R102N  
65"(165cm)Aluminum  
Oars

JL29P135N  
Pressure Gauge

JL29P387NV01  
Two-Way Pump  
2x1500cc

JL340678N for Z-ray II 300\400  
JL340677N for Z-ray II 500\700  
Seat Cushion and Storage  
Compartment

## Specification:

| Inflated Exterior           | Inflated Interior    | Material Ga.(mm) | Max.Power (kw/hp) | Air Chamber | Capacity | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Seat Cushion and Storage-optional | Model No.    | Item No.    |
|-----------------------------|----------------------|------------------|-------------------|-------------|----------|---------------------------|--------------|---------------|--------------|---------------------|-----------------------------------|--------------|-------------|
| 270x152x42cm (106"x60"x17") | 170x65cm (67"x25.5") | 34(0.85)         | 4.4/6             | 3+1         | 3+0      | 880/400                   | JL29P387NV01 | JL29R102N/1pr | 141/64       | 0.233/1             | JL340678N                         | Z-ray II 300 | JL007013N   |
| 310x152x42cm (122"x60"x17") | 210x65cm (83"x25.5") | 34(0.85)         | 5.9/8             | 3+1         | 3+1      | 1100/500                  | JL29P387NV01 | JL29R102N/1pr | 150/68       | 0.271/1             | JL340678N                         | Z-ray II 400 | JL007013-1N |
| 360x170x44cm (142"x67"x17") | 237x81cm (93"x32")   | 36(0.90)         | 7.4/9.9           | 3+1         | 5+0      | 1320/600                  | JL29P387NV01 | JL29R102N/1pr | 167.5/76     | 0.359/1             | JL340677N                         | Z-ray II 500 | JL007013-2N |
| 420x180x44cm (166"x71"x17") | 300x94cm (118"x37")  | 36(0.90)         | 22/30             | 3+1         | 7+0      | 1653/750                  | JL29P387NV01 | JL29R102N/1pr | 197/89.3     | 0.385/2             | JL340677N                         | Z-ray II 700 | JL007200N   |



# Z-RAY 3

Z-Ray 3 series boat is a versatile inflatable boat perfect for weekends at the cottage, cruising lakes and rivers or as a yacht tender. Its high pressure Air Deck floor (super fine, 3-layer fabric/PVC Korean made material) provides rigidity to the hull and wooden benches with a cushion and storage compartment ensure the comfort of the boaters. The robust outer material resists accidental cuts and abrasions, reinforced rubber strakes on the sides protect the boat from bumps and knocks , and an inflatable keel makes controlling the boat easier. Moreover, we added a solid Marine Ply outboard motor transom and stainless steel towing system beneath the tube. It is easy to inflate and deflate and convenient enough to carry, so you can take it with you for your weekend water adventures. Available in 3 sizes, and the biggest one accommodates up to 5 people.




### Main Features:

- 1. 5 Air chambers: 3 x hull, 1x keel, 1 x air deck.
- 2. V-shape inflatable keel.
- 3. Marine Ply motor transom.
- 4. Operable Drain valve.
- 5. Drop Stitch fabric Air Deck.
- 6. All around protective strake.
- 7. Built-in Oarlock system for easy rowing.




### Specification:

| Inflated Exterior           | Inflated Interior    | Material Ga.(mm) | Max.Power (kw/hp) | Air Chamber | Capacity | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Seat Cushion and Storage-optional | Model No.     | Item No.    |
|-----------------------------|----------------------|------------------|-------------------|-------------|----------|---------------------------|--------------|---------------|--------------|---------------------|-----------------------------------|---------------|-------------|
| 310x152x42cm (122"x60"x17") | 210x65cm (83"x25.5") | 34(0.85)         | 5.9/8             | 4+1         | 3+1      | 1100/500                  | JL29P387NV01 | JL29R102N/1pr | 84/38        | 0.206/1             | JL340678N                         | Z-ray III 400 | JL007014-1N |
| 360x170x44cm (142"x67"x17") | 237x81cm (93"x32")   | 36(0.90)         | 7.4/9.9           | 4+1         | 5+0      | 1320/600                  | JL29P387NV01 | JL29R102N/1pr | 112.4/51     | 0.238/1             | JL340677N                         | Z-ray III 500 | JL007014-2N |



**Package :**  
(white box + color stickers) + shrink film  
**Package includes:**  
boat+Two-way pump + 1 pair of oars + Pressure gauge + Seat Cushion + Storage Compartment + Carry

### Included in the box:



# Z-RAY 4

Z-Ray 4 series boat is an economic and amazingly lightweight inflatable watercraft, ideal for water loving singles and couples as a yacht tender and for cruising in calm waters. It is equipped with a solid Marine Ply outboard motor transom if you wish to add a motor and increase its speed and versatility. The rubber strakes on the sides protect the boat from bumps and knocks , and an inflatable keel adds to boat's stability. The boat has got an inflatable floor which makes it lightweight to carry. A seat cushion and storage compartment to its wooden benches are optional. It is easy to dis/assemble and simple for transporting and enjoying water fun anywhere you go. Available in 2 sizes.



- Main Features:**
- 1. 5 Air chambers: 3 x hull, 1 x floor .
  - 2. V-shape inflatable keel.
  - 3. Marine Ply motor transom.
  - 4. Operable Drain valve.
  - 5. All around protective strake.
  - 6. Built-in oarlock system for easy rowing.
  - 7. Seat Cushion and Storage Compartment - optional.



## Specification:


| Inflated Exterior          | Inflated Interior    | Material Ga.(mm) | Max.Power (kw/hp) | Air Chamber | Capacity | Max.load Weight (lbs/kgs) | Pump         | Oars/Unit     | GW (lbs/Kgs) | Case Pack (cbm/pkg) | Seat Cushion and Storage-optional | Model No.    | Item No.    |
|----------------------------|----------------------|------------------|-------------------|-------------|----------|---------------------------|--------------|---------------|--------------|---------------------|-----------------------------------|--------------|-------------|
| 250x130x33cm (98"x51"x13") | 167x60cm (65"x23.5") | 28(0.7)          | 2/2.7             | 4+1         | 2+1      | 529/240                   | JL29P387NV01 | JL29R101N/1pr | 75/34        | 0.153/1             | JL340679N                         | Z-ray IV 300 | JL007015-1N |



**Package :**  
(white box + color stickers) + shrink film

**Package includes:**  
boat,two-way pump, oars, carry bag, pressure gauge, repair kit

### Included in the box:



# Oars



- Super Strong Aluminum Oars**  
Aluminum tubes Reinforced wide blade  
PE bag with header card
- # JL29R106-1**
- 51"(130cm)
  - 0.103cbm/20set/ctn
- # JL29R106**
- 54"(137cm)
  - 0.146cbm/20set/ctn



- Super Strong Aluminum Oars**  
Aluminum tubes Reinforced wide blade  
PE bag with header card
- # JL29R101N**
- 52"(132cm)
  - 0.148cbm/20set/ctn

- Super Strong 4 Section Oars**
- # JL29R118N**
- -Aluminum tubes
  - Reinforced e
  - larger blade -PE bag with header card
  - 87"(221cm)
  - 0.077cbm/10pcs/ctn

- Single-Blade Paddle**
- # JL29R138N**
- Aluminum tubes
  - Reinforced blade
  - 640g/pc
  - PE bag -63"(160cm)
  - 0.117cbm/15pcs/ctn
  - 0.090cbm/5pcs/ctn



- Deluxe Five Section Oars**  
Aluminum tubes PE bag with header card
- # JL29R107N**
- 87"(221cm)
  - 0.063cbm/10pc/ctn



- Super Strong Aluminum Oars**  
Aluminum tubes Reinforced wide blade  
PE bag with header card
- # JL29R102N**
- 65"(165cm)
  - 0.162cbm/20set/ctn



- SUP Paddle**
- # JL29R135-1N**
- Carbon fiber tubes
  - Reinforce blade
  - PE bag
  - 740g/pc
  - 170cm-215cm(81"-85")
  - 0.090cbm/15pcs/ctn



- SUP Paddle**
- # JL29R135N**
- Aluminum tubes
  - Reinforced blade
  - PE bag
  - 880g/pc
  - 67"
  - 85"(170cm-215cm)
  - 0.090cbm/15pcs/ctn

Standard  
Acces-  
sires



Canoe Paddle  
127cm(50")

New  
Product



Double-Blades  
Paddle 228cm(89.7")



Sup Paddle  
182cm(71.6")

Deluxe Five Section Oars

- # JL29R136N**
- Aluminum tubes
  - Reinforced blade
  - PE bag
  - 0.0955cbm/10pcs/ctn

Standard  
Acces-  
sires



- Double Action Heavy Duty Pump**  
Inflates and deflates  
Accordion hose with 4 nozzles

- # JL29P387N**
- 16"(40cm)
  - Air volume: 1500cc x 2
  - 0.069cbm/6pcs/ctn
- # JL29P388N**
- 19"(48cm)
  - Air volume: 2000cc x 2
  - Color box
  - 0.056cbm/4pcs/ctn



- Foot Pump**  
Inflates and deflates Hose with 3 nozzles

- # JL29P389NV01**
- 9"x 6.3" (23x16cm)
  - Air volume:2000cc
  - Pressure:2.5PSI(18kPa)
  - 0.031cbm/12pcs/ctn
- # JL29P389N**
- # JL29P391NV01**
- 10.5"x 7.3" (26.8x18.5cm)
  - Air volume:3000cc
  - Pressure:2.5PSI(18kPa)
  - 0.061cbm/12pcs/ctn
- # JL29P391N**



**Bench cushion for Z-ray boat series**

- Soft fabric cushion
  - Durable polyester fabric
  - With under seat storage compartment for gear
  - Packed in white box
- # JL340679N**  
for bench with 130cm length  
(For JL007012N, JL007015N, JL007015-1N)
- 75x23x2cm (30"x9"x0.8")
  - 0.086cbm/12pcs/ctn
- # JL340677N**  
for bench with 170cm length  
(For JL007013-2N, JL007014-2N)
- 98x23x2cm (39"x9"x0.8")
  - 0.11cbm/12pcs/ctn
- # JL340678N**  
for bench with 150cm length  
(For JL007012-1N, JL007013N, JL007013-1N, JL007014N, JL007014-1N)
- 84x23x2cm (33"x9"x0.8")
  - 0.095cbm/12pcs/ctn



**Repair Kit For Z-ray Boat**

- # JL290137N**
- Optional accessories for z-ray boat
  - Including: 2x repair swatch, 1x upper part of valve, 1x spanner
  - Polybag with header card -0.020cbm/24pcs/ctn

PATHFINDER  
Kayak

FISHMAN  
Boat

CHEYENNE  
Boat

Z-Ray Boat

Accessories

BOAT ACCESSORIES



**Camouflage Boat Cover**  
# JL340721N for Fishman 300 (0.112cbm/18pcs/ctn)  
# JL340722N for Fishman 350 (0.111cbm/16pcs/ctn)  
# JL340723N for Fishman 400 (0.100cbm/14pcs/ctn)  
• Size for Fishman boat 300,350,400  
• Camouflage print polyester 210D/AC  
• White box



**Super Strong Aluminum Oars**  
# JL29R115N (304 stainless steel)  
# JL29R126N (316 stainless steel for salt water)  
• Accessories for Cheyenne II & III series boat  
• Plastic outboard motor bracket with stainless steel fittings  
• White box  
• 0.077cbm/8pcs/ctn



**Cheyenne & Fishman Boat Sunshade Set**  
# JL340720N For Cheyenne Boat III  
# JL340720-1N for Fishman II  
• 67"×40"×40"(170×100×100cm)  
• Optional accessories  
• 2 Color assorted: gray and green  
• Carry bag, white box packing  
• 0.091cbm/6pcs/ctn



**Deluxe Five Section Oars**  
# JL29R127N (304 stainless steel)  
• Accessories for Fishman series boat  
• Plastic outboard motor bracket with stainless steel fittings  
• White Box  
• 0.060cbm/6pcs/ctn

Standard  
Accessories

Motor

Electric  
Trolling  
Motor



Electric Trolling Motor

| Output Power | Speeds                  | Thrust in (lbs/kgs) | Required (Input) | Mount      | Control      | Cortin (cbm/set) | Gross Weight (kgs) | Item Number |
|--------------|-------------------------|---------------------|------------------|------------|--------------|------------------|--------------------|-------------|
| 312w         | 5 Forwards<br>3 Reverse | 30 / 13.6           | 12 V             | Level Lock | Tiller Twist | 0m x 0.7m x8m/1  | 9                  | JL290561N   |
| 414w         |                         | 40 /1 8.7           |                  |            |              | 0m x 0.9m x5m/1  | 9.8                | JL290406N   |
| 636w         |                         | 55 /25.0            |                  |            |              | 0m x 0.6m x8m/1  | 11.6               | JL290407N   |
| 180w         | 2 Forwards<br>2 Reverse | 18/6.7              |                  |            |              | 0m x 0.7m x8m/1  | 3.7                | JL290591N   |

PATHFINDER  
Kayak

FISHMAN  
Boat

CHEYENNE  
Boat

Z-Ray Boat

Accessories